



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/074,379	02/12/2002	Charles E. Taylor	112440-529	5582

29190 7590 12/09/2005

BELL, BOYD & LLOYD LLC
P.O. BOX 1135
CHICAGO, IL 60690-1135

EXAMINER

MCDONALD, RODNEY GLENN

ART UNIT	PAPER NUMBER
----------	--------------

1753

DATE MAILED: 12/09/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

th

Office Action Summary	Application No. 10/074,379	Applicant(s) TAYLOR ET AL.	
	Examiner Rodney G. McDonald	Art Unit 1753	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 October 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1-4, 9 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hsu (U.S. Pat. 5,656,063) in view of Wang (U.S. Pat. 5,702,507) and Ross (U.S. Pat. 4,017,736).

Regarding claims 1, 9, Hsu et al. teach an air transporter with a housing 12 with a top (Figure 1; Column 4 lines 1-3) having a removable inlet 16 and an outlet 18. (Column 4 lines 8-10; Column 4 lines 14-15) Hsu teach an ion generator 36 which include a first electrode 38 and a second electrode 39. The electrodes communicate

Art Unit: 1753

electrically. (Column 4 lines 32-36) A power generator (i.e. voltage applicator) is coupled between the electrodes. (Column 5 lines 53-54)

Regarding claim 2, the housing has a side extending downwardly from the top and the inlet 16 is located through the side. (See Figure 1)

Regarding claims 3, 9, the housing is elongated in the x and y directions. The inlets and the outlets extend along a direction of the elongated housing. (See Fig. 1)

Regarding claim 4, the housing is vertically upstanding and the outer is covered with vertically elongated fins. (See Fig. 1) Presumably the inlet fins could be vertically elongated similar to the outlet. In fact the inlet has in its center vertically elongated fins. (See Fig. 1)

Regarding claim 10, the second electrode is elongated in a direction of the elongation of the housing. (See Fig. 1)

The differences between Hsu et al. and the present claims is that the second electrode being removably mounted in the housing so that the second electrode can be removed for cleaning from the top through a port is not discussed (claims 1, 9), utilizing a germicidal lamp in the housing to expose the airflow to germicidal radiation is not discussed (claims 1, 9), the removability of the germicidal lamp after the inlet is removed is not discussed (Claims 1, 9).

Regarding the second electrode being removably mounted in the housing so that the second electrode can be removed for cleaning from the top (claims 1, 9), Wang teach an air cleaner where the electrodes can be removed for cleaning from the top of the air cleaner. (See Column 2 lines 63-68; Column 3 lines 1-4; Figure 2)

The motivation for providing a removable electrode is that it prolongs the lifespan of the device. (See Wang Column 1 line 43)

Regarding the use of a removable germicidal lamp (Claims 1, 9), Wang teach a removable ozone tube like a light tube (i.e. bulb) for eliminating bacteria. (Column 2 lines 10-19; lines 63-68; Column 3 lines 1-4) Ross recognize that an ultraviolet light source can be inserted in an air stream for eliminating airborne microorganisms. (Column 2 lines 34-40) Therefore, the combination of Wang and Ross suggest that a germicidal device can be inserted into the air flow and should be removable for cleaning. Ross suggest that such a germicidal device can be a UV radiation emitting light source. As to the inlet being removed first the inlet in Hsu could removed first to provide access into the interior and since as recognized by Ross that a UV germicidal lamp can be present in the interior of an air flow device this would meet Applicant's limitation of removing the inlet before removing the UV germicidal lamp.

The motivation for providing a removable germicidal radiation source is that it allows for killing microorganisms in the air stream. (Ross Column 2 lines 38-40) and for prolonging the lifespan of the aircleaner. (Wang Column 1 lines 43)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Hsu by utilizing a second electrode that is removably mounted in the housing for cleaning, utilizing a germicidal lamp in the housing to expose the airflow to germicidal radiation, and utilizing a removable germicidal lamp after the inlet is removed as taught by Wang and Ross because it allows for prolonging the operation of the device and for killing airborne microorganisms.

Art Unit: 1753

Claims 15 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hsu in view of Wang and Ross as applied to claims 1-4, 9 and 10 above, and further in view of Block, "Disinfection, Sterilization, and Preservation", pp. 33, Fourth Edition 1991.

The difference not yet discussed is the wavelength of ultraviolet radiation utilized.

Block suggest the UV radiation to be utilized for germicidal effect should range from 328 to 210 nm. (See Page 33)

The motivation for utilizing radiation within the range of 328 to 210 nm is that it allows for exposing the germs to lethal doses of radiation. (See Page 33)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have utilized radiation in the range of 245 nm as taught by Block because it allows for exposing germs to lethal doses of radiation.

Claims 5 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wang (U.S. Pat. 5,702,507) in view of Ross (U.S. Pat. 4,017,736).

Regarding claim 5, Wang teach a housing 1 (column 2 lines 54-55; Figures 1, 2) having an inlet and outlet 13. (Column 2 lines 20-21; Figs. 1-3) Wang teach an ion generator having electrodes 21, 22 applied with electricity. (Column 1 lines 65-68) The second electrode is removable from the housing for cleaning. (Column 2 lines 63-68; Column 3 lines 1-5) An ozone lamp is present to restrain the bacteria. The ozone lamp is removable similar to a light tube and can be changed. (Column 2 lines 8-19)

Art Unit: 1753

Regarding claim 6, the housing has a top and the second electrode and the ozone tube is removable through the top. (See Figure 2; Column 2 lines 63-68; Column 3 lines 1-5)

The difference between the present claims and Wang is that the use of a removable germicidal lamp is not discussed (claim 5).

Regarding the use of a removable germicidal lamp, Ross suggest that a UV germicidal lamp can be placed to directly irradiate a flowing air stream to eliminate germs. (Column 2 lines 35-46) Since Wang suggest a removable ozone tube to eliminate germs one of ordinary skill in the art would look to Ross to replace the ozone tube with a UV radiation source since both devices function to eliminate germs.

The motivation for utilizing a ultraviolet radiation source is that it allows for killing germs. (Column 2 lines 38-39)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Wang by utilizing an ultraviolet radiation source a taught by Ross because it allows for killing germs.

Claims 7 rejected under 35 U.S.C. 103(a) as being unpatentable over Wang in view of Ross as applied to claims 5 and 6 above, and further in view of Hsu (U.S. Pat. 5,656,063).

The difference not yet discussed is where the second electrode is removable through the top and the lamp is removable from the side (Claim 7).

Regarding the second electrode removable through the top and the lamp removable from the side, Wang already discussed establishes removing the second

Art Unit: 1753

electrode through the top. (See Wang discussed above) Hsu discussed above establishes a removable inlet and outlet from the side. (See Hsu discussed above) Since Hsu teach removing the inlets and outlets from the side the Examiner presumes that the lamp can be removed from the side as well. (See Hsu discussed above)

The motivation for removing the lamp and electrode from the apparatus is that it allows for cleaning of the lamp. (See Wang Column 2 lines 63-68; Column 3 lines 1-5)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have removed the second electrode from the top and to have removed the lamp from the side as taught by Hsu because it allows for cleaning of the lamp and second electrode.

Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wang in view of Ross as applied to claims 5 and 6 above, and further in view of Smith et al. (U.S. Pat. 5,641,342).

The difference not yet discussed is where the second electrode has a handle for removing the electrode from the top and where the lamp has a handle for removing the lamp from the top.

Smith et al. teach providing a handle for panels removable from an air cleaning apparatus to allow for ease of removal of the panels from the apparatus and for ease of cleaning and the like. (Column 4 lines 66-68; column 5 lines 1-4)

The motivation for utilizing a handle attached to a panel in an air cleaning apparatus is that it allows for ease of removal of the panels from the apparatus and for ease of cleaning. (Column 4 lines 66-68; column 5 lines 1-4)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have utilized a handle to slide means in and out of an air cleaner as taught by Smith et al. because it allows for ease of removal and for ease of cleaning.

Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wang in view of Ross as applied to claims 5 and 6 above, and further in view of Block, "Disinfection, Sterilization, and Preservation", pp. 33, Fourth Edition 1991.

The difference not yet discussed is the wavelength of ultraviolet radiation utilized.

Block suggest the UV radiation to be utilized for germicidal effect should range from 328 to 210 nm. (See Page 33)

The motivation for utilizing radiation within the range of 328 to 210 nm is that it allows for exposing the germs to lethal doses of radiation. (See Page 33)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have utilized radiation in the range of 245 nm as taught by Block because it allows for exposing germs to lethal doses of radiation.

Claims 11-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wang (U.S. Pat. 5,702,507) in view of Ross (U.S. Pat. 4,017,736) and Hsu (U.S. Pat. 5,656,063).

Wang is discussed above and teach an air cleaner and method for cleaning the air cleaner including removing the second electrode through the top of the housing for cleaning. Replacing the second electrode. Removing the ozone tube which kills germs

Art Unit: 1753

from the housing for replacing. (See Wang discussed above; Wang Column 2 lines 63-68; Wang Column 3 lines 1-3)

The difference between Wang and the present claims is that the utilization of a germicidal lamp in place of the ozone tube is not discussed (Claim 11), removing the germicidal lamp from the side is not discussed (Claim 11), removing the side wall of the housing before removing the germicidal lamp is not discussed (Claim 12), removing the side outlet vent before removing the germicidal lamp (Claim 13) and removing the side vertically louvered vent before removing the germicidal lamp (Claim 14).

Regarding the utilization of a germicidal lamp in place of the ozone tube (Claim 11), Ross teaches utilizing a germicidal UV radiation lamp for killing germs in an air stream. (Ross Column 2 lines 35-46) Since Wang require a device for killing germs it would be obvious to substitute a germicidal UV radiation lamp for the ozone tube because both the ozone tube and the germicidal UV radiation lamp kill germs.

The motivation for utilizing a germicidal lamp in place of the ozone tube is that it allows for killing of germs. (Ross Column 2 lines 38-39)

Regarding the removing of the germicidal lamp from the side (Claim 11), Hsu teach that the sides of an air cleaner can be removed. (See Fig. 1 items 16, 18) Since Hsu teach that the sides of an air cleaner can be removed it would be obvious to remove the sides of an air cleaner first in order to remove the interior elements in this case a germicidal killing device from the side.

The motivation for removing the germicidal lamp from the side is that it allows for cleaning the lamp. (Wang Column 2 lines 63-64)

Regarding the removing of the side wall of the housing before removing the germicidal lamp (Claim 12), Hsu teach removing the sides of an air cleaner. Since Hsu teach that the sides of an air cleaner can be removed it would be obvious to remove the sides of an air cleaner first in order to remove the interior elements in this case a germicidal killing device from the side.

Regarding the removing of the side outlet vent before removing the germicidal lamp (Claim 13), Hsu teach removing the side outlet of an air cleaner. (See Hsu Fig. 1 items 18) Since Hsu teach that the side outlet of an air cleaner can be removed it would be obvious to remove the side outlet of an air cleaner first in order to remove the interior elements in this case a germicidal lamp killing device from the side.

Regarding the removing of the side vertically louvered vent before removing the germicidal lamp (Claim 14), Hsu teach removing a side vertically louvered vent 18. (See Hsu Fig. 1 item 18) Since Hsu teach that the side outlet of an air cleaner can be removed it would be obvious to remove the side outlet of an air cleaner first in order to remove the interior elements in this case a germicidal lamp killing device from the side.

The motivation for removing the side wall of the housing before removing the germicidal lamp, removing the side outlet vent before removing the germicidal lamp and removing the side vertically louvered vent before removing the germicidal lamp is that it allows for accessing the internal components of the air cleaner. (See Hsu Fig. 1)

Therefore, it would have been obvious of ordinary skill in the art at the time the invention was made to have modified Wang by utilizing a germicidal lamp as taught by Ross and by removing the germicidal lamp from the side, removing the side wall of the

Art Unit: 1753

housing before removing the germicidal lamp, removing the side outlet vent before removing the germicidal lamp and removing the side vertically louvered vent before removing the germicidal lamp as taught by Hsu in combination with Wang and Ross because it allows for killing germs, cleaning the lamp and accessing the interior of the air cleaner.

Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wang in view of Ross and Hsu as applied to claims 11-14 above, and further in view of Block, "Disinfection, Sterilization, and Preservation", pp. 33, Fourth Edition 1991.

The difference not yet discussed is the wavelength of ultraviolet radiation utilized.

Block suggest the UV radiation to be utilized for germicidal effect should range from 328 to 210 nm. (See Page 33)

The motivation for utilizing radiation within the range of 328 to 210 nm is that it allows for exposing the germs to lethal doses of radiation. (See Page 33)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have utilized radiation in the range of 245 nm as taught by Block because it allows for exposing germs to lethal doses of radiation.

Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hsu (U.S. Pat. 5,656,063) in view of Ross (U.S. Pat. 4,017,736) and Wang (U.S. Pat. 5,702,507).

Hsu is discussed above and teach a free standing vertically elongated housing including a top, a first side and a second side generally opposite the first side. A first air vent in the first side of the housing. A second air vent formed in a removable panel.

Art Unit: 1753

The removable panel adapted to be secured to the second side of the housing. An ion generator in the housing for creating air flow with two electrodes electrically connected for creating air flow. (See Hsu discussed above; See Hsu Fig. 1)

The difference Hsu and the present claims is that a germicidal lamp present in the air flow is not discussed (Claim 19), the elongated collector electrode removable from top of the housing (Claim 19), and where the germicidal lamp is removable through a side of the housing after the removable side panel is removed (Claim 19).

Ross teach placing a germicidal lamp in the air flow to kill germs. (Column 2 lines 34-46)

The motivation for placing the germicidal lamp in the air flow of an air flow cleaner is that it allows for killing of germs to clean the air. (Column 2 lines 34-46)

Wang teach removing the collector electrode of an air cleaner device from the top of the housing. (Figure 2; Column 2 lines 63-65)

The motivation for removing the collector electrode out of the top of the housing is that it allows for prolonging the lifespan of the air cleaner. (Column 1 lines 41-44)

Hsu teach removing the side of the housing as discussed above. (See Hsu discussed above) Obviously this would allow access to the interior of the apparatus including the lamp within the apparatus.

The motivation for providing removable side housing is that it allows access to the interior of the apparatus. (See Hsu discussed above)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Hsu by utilizing a germicidal lamp

Art Unit: 1753

present in the air flow as taught by Ross, to have removed the elongated collector electrode from top of the housing as taught by Wang and where the germicidal lamp is removable through a side of the housing after the removable side panel is removed as taught by Hsu in combination with Ross because it allows for cleaning the air of germs and allowing access to the apparatus to allow for prolonging the life of the apparatus.

Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hsu (U.S. Pat. 5,656,063) in view of Ross (U.S. Pat. 4,017,736) and Wang (U.S. Pat. 5,702,507).

Hsu is discussed above and teach a free standing vertically elongated housing including a top, a first side and a second side generally opposite the first side. A first air vent in the first side of the housing. A second air vent formed in a removable panel. The removable panel adapted to be secured to the second side of the housing. An ion generator in the housing for creating air flow with two electrodes electrically connected for creating air flow. (See Hsu discussed above; See Hsu Fig. 1)

The difference Hsu and the present claims is that a germicidal lamp present in the air flow is not discussed (Claim 20), the elongated collector electrode removable from top of the housing (Claim 20), and where the germicidal lamp is removable through a top of the housing (Claim 20).

Ross teach placing a germicidal lamp in the air flow to kill germs. (Column 2 lines 34-46)

The motivation for placing the germicidal lamp in the air flow of an air flow cleaner is that it allows for killing of germs to clean the air. (Column 2 lines 34-46)

Wang teach removing the collector electrode of an air cleaner device from the top of the housing. Wang also teach removing an ozone tube from the top of the housing. (Figure 2; Column 2 lines 63-65) Since an ozone tube eliminates germs it would be obvious to substitute Ross's germicidal lamp for the ozone tube of Wang.

The motivation for removing the collector electrode out of the top of the housing and ozone tube is that it allows for prolonging the lifespan of the air cleaner. (Column 1 lines 41-44)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Hsu by utilizing a germicidal lamp present in the air flow as taught by Ross, to have removed the elongated collector electrode from top of the housing as taught by Wang and to have removed the germicidal lamp through a top of the housing as taught by Wang because it allows for cleaning the air of germs and allowing for prolonging the life of the apparatus.

Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hsu in view of Ross and Wang applied to claim 20 above, and further in view of Smith et al. (U.S. Pat. 5,641,342).

The difference not yet discussed is the use of user liftable handles to remove the electrodes and the germicidal lamps.

Smith et al. teach providing a handle for panels removable from an air cleaning apparatus to allow for ease of removal of the panels from the apparatus and for ease of cleaning and the like. (Column 4 lines 66-68; column 5 lines 1-4)

The motivation for utilizing a handle attached to a panel in an air cleaning apparatus is that it allows for ease of removal of the panels from the apparatus and for ease of cleaning. (Column 4 lines 66-68; column 5 lines 1-4)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have utilized a handle to slide means in and out of an air cleaner as taught by Smith et al. because it allows for ease of removal and for ease of cleaning.

Response to Arguments

Applicant's arguments filed 10-21-05 have been fully considered but they are not persuasive.

In response to the argument that one would not look to Ross for use of a UV device because the positioning of the UV device would interfere with an electro-kinetic device as taught by Wang, it is argued that the claims broadly read require only that a germicidal lamp be disposed in the housing. Clearly Ross suggests disposing the germicidal lamp in the housing. (See Ross discussed above)

In response to the argument that Ross does not teach that the germicidal lamp can be removable from the housing, it is argued that while Ross does not teach that the germicidal lamp can be removable from the housing Wang recognize that an ozone lamp for eliminating germs can be removable from the housing for cleaning. Given that Wang suggest a removable ozone tube to eliminate germs one of ordinary skill in the art would look to Ross to replace the ozone tube with a UV radiation source since both devices function to eliminate germs. (See Ross and Wang discussed above)

In response to the argument that one would not be motivated to combine Ross with Wang because Wang disclose an electro-kinetic air cleaner device including a removable ozone tube which is wholly dissimilar from the fan driven system of Ross, it is argued that one would be motivated to look to Ross because one of ordinary skill in the art would desire to eliminate germs and Ross provide the teaching of utilizing a germicidal lamp for eliminating germs.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Block, "Disinfection, Sterilization, and Preservation", pp. 21, pp. 32, 33, pp. 182-190, pp. 553-565, Fourth Edition 1991.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 1753

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rodney G. McDonald whose telephone number is 571-272-1340. The examiner can normally be reached on M- Th with Every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam X. Nguyen can be reached on 571-272-1342. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Rodney G. McDonald
Primary Examiner
Art Unit 1753

RM
December 6, 2005